


发 JLC 200% 許協力条約



PCT

国際予備審査報告

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

REC'D	15	APR	2004	
WIPO		F	OT	

3556

電話番号 03-3581-1101 内線

出願人又は代理人 の事類記号 NEC03P077	今後の手続きについては、国際予備審査報告の送付通知(様式PCT/ IPEA/416)を参照すること。						
国際出願番号 PCT/JP03/07963	国際出願日 (日.月.年) 24.06.03	優先日 (日.月.年) 01.07.02					
国際特許分類 (IPC) Int. Cl' H03K 3/286, 3/356							
出願人 (氏名又は名称) 日 本 電 気 株 元	. 会 社						
2. この国際予備審査報告は、この表紙 X この国際予備審査報告には、『	国際予備審査報告を法施行規則第57条 (PC 紙を含めて全部で 3 ページ 附属書類、つまり補正されて、この報告の記 む明細書、請求の範囲及び/又は図面も添作 、実施細則第607号参照)	ジからなる。 基礎とされた及び/又はこの国際予備審					
この附属售類は、全部で 3. この国際予備審査報告は、次の内2							
	I × 国際予備審査報告の基礎						
Ⅱ	生の利用可能性についての国際予備審査報	告の不作成					
IV 発明の単一性の欠如	ETT-25/19/19 1 BITE/ETT 2 / C 12 ETM 2 MIN BITE IN						
V X PCT35条(2)に規定 の文献及び説明 VI ある種の引用文献	の文献及び説明						
VI 国際出願の不備							
VⅢ ☑ 国際出願に対する意見							
国際予備審査の請求書を受理した日 24.06.2003	国際予備審査報告を 23	作成した日 . 03. 2004					
名称及びあて先 日本国特許庁(IPEA/JP 郵便番号100-8915 東京教託44円区祭が明三丁目4	有泉						



国際出願番号 PCT/JP03/07963

I. 国際予備審査報告の基礎							
1. この国際予備審査報告は下記の出願審類に基づいて作成された。(法第6条(PCT14条)の規定に基づく命令に 応答するために提出された差し替え用紙は、この報告書において「出願時」とし、本報告書には添付しない。 PCT規則70.16,70.17)							
	出願時の国際出願書類						
	明細審 明細審 明細書	第 <u>1~16</u> 第 第	_ ページ、 _ ページ、 _ ページ、 _ ページ、	出顧時に提出されたもの 国際予備審査の請求書と			
	請求の範囲 請求の範囲 請求の範囲 請求の範囲 請求の範囲	第 	項、 項、 項、 項、	出願時に提出されたもの PCT19条の規定に基 国際予備審査の請求むと 04.12.03	らづき補正されたもの		
	図面 図面	第 <u>1~8</u> 第		出願時に提出されたもの 国際予備審査の請求書と			
<u> </u>	明細書の配列	列表の部分 第 列表の部分 第 列表の部分 第	ページ、 ページ、 ページ、	出願時に提出されたもの 国際予備審査の請求書と			
2. 上	記の出願書類	質の言語は、下記に示す場合	を除くほか、こ	の国際出願の言語である。			
Ŀ	:記の啓類は、	下記の言語である	語であ	వ 。			
] РСТ規	Eのために提出されたPCT規 1則48.3(b)にいう国際公開の 審査のために提出されたPC	言語		語		
3. ट	の国際出願に	は、ヌクレオチド又はアミノ	酸配列を含んで	おり、次の配列表に基づき	き国際予備審査報告を行った。		
□ この国際出願に含まれる勘面による配列表 □ この国際出願と共に提出された磁気ディスクによる配列表 □ 出願後に、この国際予備審査(または調査)機関に提出された書面による配列表 □ 出願後に、この国際予備審査(または調査)機関に提出された磁気ディスクによる配列表 □ 出願後に提出した書面による配列表が出願時における国際出願の開示の範囲を超える事項を含まない旨の陳述書の提出があった □ 書面による配列表に記載した配列と磁気ディスクによる配列表に記録した配列が同一である旨の陳述書の提出があった。							
4. 補 	明細歡	下記の 啓類が削除された。 第 第 図面の第	ページ 項 ペー	ジ / 図			
5.	5. この国際予備審査報告は、補充欄に示したように、補正が出願時における開示の範囲を越えてされたものと認められるので、その補正がされなかったものとして作成した。(PCT規則70.2(c) この補正を含む差し替え用紙は上記1.における判断の際に考慮しなければならず、本報告に添付する。)						





Y. 新規性、進歩性又は産業上の利用 文献及び説明	可能性についての法第12条(P(CT35条(2))に定める見解、 	それを 裏付ける
1. 見解	•		
新規性(N)	: 請求の範囲 請求の範囲	1-14	有 無
進歩性(IS) ·	請求の範囲 請求の範囲 	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	有 無
・ 産業上の利用可能性 (IA)	請求の範囲 請求の範囲	1-14	有 無

- 2. 文献及び説明 (PCT規則70.7)
 - 請求の範囲第1-7,13-14項について

文献1: JP 07-273610 A (日本電信電話株式会社) 1995.10.20.全文,第1~5図(ファミリーなし)

には、差動回路構成のデータ読込み(読出し)用差動回路と交差接続されるデータ保持用差動回路とよりなる、所謂ラッチングコンパレータを2つ縦列接続してなるマスタスレーブ型のフリップフロップにおいて、高速化のために、データ保持用差動回路のサイズを、データ読込み(読出し)用差動回路のトランジスタのサイズより小さくするものが記載されている。

文献2: JP 06-291618 A (株式会社東芝) 1994.10.18.全文,第1~4図(ファミリーなし)

文献3: JP 08-056140 A (株式会社東芝) 1996.02.27.全文,第1~20図 (ファミリーなし)

には、動作電流について、データ保持用差動回路の動作電流を、データ読込み(読出し)用差動回路の動作電流より小さくする手段が記載されており、特に、文献2には、切換信号の遷移部分にあわせて電流を制御するものが記載されている。

・請求の範囲第8-12項について

国際調査報告に引用された上記いずれの文献にも、「ローパスフィルタ回路を介して並列に接続された2つの差動対からなるデータ保持用差動対」を設けることが記載 されておらず、また、自明でもない。 度が最高動作速度から低下した場合に、前記第1および第2の回路によって、前記第1および第2のデータ保持用差動対の電流が当該データ保持用差動対を構成するトランジスタの許容電流以下となるように調整される、請求項10に記載のスタティック型フリップフロップ回路。

- 12. 前記フリップフロップ回路は、当該フリップフロップ回路の動作速度が最高動作速度から低下した場合に、当該動作速度によって、前記第1および第2のデータ保持用差動対の電流が当該データ保持用差動対を構成するトランジスタの許容電流以下となるように調整される、請求項4,6,8,10のいずれか1項に記載のスタティック型フリップフロップ回路。
- 13. (追加) 前記フリップフロップ回路は、当該フリップフロップ回路の動作速度が最高動作速度から低下した場合に、前記第1および第2のデータ保持用差動対の電流が増加し、最低動作速度の場合には、前記第1のデータ保持用差動対の電流と前記第1のデータ読み込み用差動対の電流とが同じになり、かつ、前記第2のデータ保持用差動対の電流と前記第2のデータ読み込み用差動対の電流とが同じになる、請求項1,2,4,6のいずれか1項に記載のスタティック型フリップフロップ回路。
- 14. (追加) 前記フリップフロップ回路は、前記第1のデータ保持用差動対の電流と前記第1のデータ読み込み用差動対の電流との和が前記第1の電流源回路の電流と同じになり、かつ、前記第2のデータ保持用差動対の電流と前記第2のデータ読み込み用差動対の電流との和が前記第2の電流源回路の電流と同じになる、請求項1,2,4,6のいずれか1項に記載のスタティック型フリップフロップ回路。





PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

~ 3′	PCT
anslation interna	ATIONAL PRELIMINARY EXAMINATION REPORT
	(PCT Article 36 and Rule 70)
Applicant's or agent's file reference NEC03P077	FOR FURTHER ACTION See Notification of Transmittal of Preliminary Examination Report (Form PC
International application No. PCT/JP2003/007963	International filing date (day/month/year) Priority date (day/month/year)
International Patent Classification (IPC)	24 June 2003 (24.06.2003) 01 July 2002 (01.0
H03K 3/286, 3/356	·
Applicant	
	NEC CORPORATION
This report is also accom amended and are the basi 70.16 and Section 607 of These annexes consist of	mpanied by ANNEXES, i.e., sheets of the description, claims and/or drawings where sis for this report and/or sheets containing rectifications made before this Author of the Administrative Instructions under the PCT). If a total of sheets. Is relating to the following items:
<u></u>	nent of opinion with regard to novelty, inventive step and industrial applicability
To all accomits of	•
IV Lack of unity of	•
IV Lack of unity of	of invention ment under Article 35(2) with regard to novelty, inventive step or industrial appli explanations supporting such statement
IV Lack of unity of V Reasoned staten citations and exp	of invention ment under Article 35(2) with regard to novelty, inventive step or industrial appli explanations supporting such statement
IV Lack of unity of V Reasoned staten citations and exp VI Certain document VII Certain defects in	of invention ment under Article 35(2) with regard to novelty, inventive step or industrial appli kplanations supporting such statement ents cited
IV Lack of unity of V Reasoned statem citations and exp VI Certain document VII Certain defects in	of invention ment under Article 35(2) with regard to novelty, inventive step or industrial appli kplanations supporting such statement ents cited in the international application
IV Lack of unity of V Reasoned staten citations and exp VI Certain document VII Certain defects i VIII Certain observati	ment under Article 35(2) with regard to novelty, inventive step or industrial applications supporting such statement ents cited in the international application ations on the international application Date of completion of this report




International application No.

PCT/JP2003/007963

I. Basis	s of the report		
1. With	h regard to the elements of the international application:*		
	the international application as originally filed		
	the description:		
-	pages .	16	
İ	70.000		, as originally filed
l	pages	** • • • • • • • • • • • • • • • • • •	, filed with the demand
	the claims:	, and what the letter of	
	nage	_	
i			, as originally filed
			•
1		51.1 23.3 1	, filed with the demand
	pages 13, 14	, filed with the letter of _	04 December 2003 (04.12,2003)
	the drawings:		
ł	pages 1-		, as originally filed
	pages		, filed with the demand
		, filed with the letter of _	
"	the sequence listing part of the description:		
	pages		as originally filed
	puges		, filed with the demand
	pages	, filed with the letter of _	
3. With prelin	regard to the language, all the elements marked above we neternational application was filed, unless otherwise indicate elements were available or furnished to this Authority in the language of a translation furnished for the purposes of the language of publication of the international application the language of the translation furnished for the purpose or 55.3). regard to any nucleotide and/or amino acid sequentiary examination was carried out on the basis of the sequentiary examination was carried out on the basis of the sequential together with the international application in compute furnished subsequently to this Authority in written form. furnished subsequently to this Authority in computer read. The statement that the subsequently furnished writter international application as filed has been furnished. The statement that the information recorded in compute been furnished. The amendments have resulted in the cancellation of: the description, pages the claims, Nos. the drawings, sheets/fig	the following language finternational search (under Run (under Rule 48.3(b)). es of international preliminary ace disclosed in the international ence listing: er readable form. able form.	which is: ule 23.1(b)). r examination (under Rule 55.2 and/ cional application, the international go beyond the disclosure in the
5. 🔲 T	This report has been established as if (some of) the amend	ments had not been made, sin	ce they have been considered to go
* Replace in this and 70.	rement sheets which have been furnished to the receiving (report as "originally filed" and are not annexed to t	Mai Box (Rule /0.2(c)).** Office in response to an invitati his report since they do not	ion under Article 14 are referred to contain amendments (Rule 70.16

INTERNATIONAL PRE---VINARY EXAMINATION REPORT



V.	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
	t and the same of

1. Stater	ment			
No	velty (N)	Claims	1-14	YES
		Claims		NO
Inve	entive step (IS)	Claims	8-12	YES
		Claims	1-7, 13-14	NO
Indu	ustrial applicability (IA)	Claims _	1-14	YES
		Claims		NO NO

2. Citations and explanations

Claims 1-7 and 13-14

Document 1 (JP 07-273610 A (Nippon Telegraph and Telephone Corporation), 20 October 1995, entire text, fig. 1-5, (Family: none)) discloses a master/slave-type flip flop circuit configured from a differential circuit for reading-in (reading-out) data and a differential circuit for maintaining data, which are cross-coupled, and well-known latching comparators that are connected via a two-stage cascade connection, wherein the size of the differential circuit for maintaining data is configured so as to be smaller than the size of the transistors in the differential circuit for reading-in (reading-out) data in order to accelerate the circuit.

Document 2 (JP 06-291618 A (Toshiba Corp.), 18
October 1994, entire text, fig. 1-4, (Family: none)) and
document 3 (JP 08-056140 A (Toshiba Corp.), 27 February
1996, entire text, fig. 1-20, (Family: none)) disclose
means for decreasing the operating current of the
differential circuit for maintaining data to a level which
is lower than that of the operating current of the
differential circuit for reading-in (reading-out) data,
and document 2 specifically discloses the feature of
controlling the current by matching it to the transitory
component of the switching signal.

Claims 8-12

The documents cited in the international search report do not disclose the feature of providing a "differential pair for maintaining data, which comprises two differential pairs that are connected in a series via a low-pass filtering circuit," and this feature is not obvious to a person skilled in the art.